

PRICE OF TENDER : Rs. 500/-

भारत सरकार / Government of India
भारतीय पुरातत्व सर्वेक्षण / Archaeological Survey of India
जोधपुर मंडल, जोधपुर / Jodhpur Circle

Tender No: 16 /2014-15
F.No. 04/69/JDH/Dep Work Dev
Somnath / 2015-16-W

PERCENTAGE TENDER FOR EXECUTION OF WORK

Issued to: _____

Date of Opening: 26.10.2015

Name of Work: **Civil Deposit work for Development of Somnath Temple, Deo Somnath, Distt Dungarpur, Rajasthan .**

I/We hereby tender for execution of work for the President of India described in the under mentioned memorandum according to the specification within the time specified and at the rates specified therein subject to the conditions of the contract.

MEMORANDUM

- (i) Earnest Money: **Rs. 64,292/-** (ii) Security Deposit: As per the terms and condition
(iii) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF TENDER: EMD will be adjusted against the total Security Deposit/returned on submission of FDR for full amount
(iv) PERCENTAGE TO BE DEDUCTED FROM RUNNING BILL: Remaining amount will be deducted as per the rates given in the terms and conditions
(v) ESTIMATED COST: **Rs. 32,14,623/- (9,16,252/- for Part A and Rs. 24,12,476/- for Part B and Part C as estimate is framed on the basis of BSR 2013 for Dungarpur District)**
(vi) PLACE OF WORK: **At the site located at Somnath Temple, Deo Somnath, Distt. Dungarpur, Rajasthan**

READ TERMS AND CONDITIONS BEFORE FILLING UP THE SCHEDULE. SIGN ON ALL PAGES

| S.No | Description or specification of items of work to be executed | Total Estimated quantities | Time allowed for completion | Unit | % Above or % below or equal to in figures and words and attest with signature | Remarks |
|------|--|----------------------------|---------------------------------------|-----------|---|-------------------------|
| 1. | Part A Construction of Toilet Block | | 70 days from the date of issue | Full Work | | % to be quoted for full |

| | | | of work order. For any reason no extension of time will be given | | | work |
|----|---|------------|---|-------|--|------|
| 2. | Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including disposal of excavated earth upto 50 m and lift upto 1.5 m, disposed soil to be levelled and neatly dressed. | 41.38 Cum | | P/Cum | | |
| 3. | Providing & laying cement concrete 1: 3 : 6 (1 Cement : 3 C. Sand : 6 Stone Agg. 20 mm nominal size) including curing, compaction etc. complete in foundation. | 8.68 Cum | | P/Cum | | |
| 4. | R/R stone masonry in foundation with 1:6 cement mortar (1 Cement : 6 Coarse sand) including curring etc | 15.84 Cum | | P/Cum | | |
| 5. | Filling in plinth with locally available river under floor including watering, ramming consolidating and dressing etc complete including cost of shingles sand. | 4.47 Cum | | P/Cum | | |
| 6. | Providing and laying dry rubble stone Kharanja for base below the cement concrete in flooring and ramming, compacting With watering etc complete . | 8.57 sqm | | P/Sqm | | |
| 7. | Providing and laying in position specified grade1: 1.5:3 Reinforcement Cement Concrete (1cement : 1.5 coarse sand : 3 stone aggregate 20mm nominal size) excluding the cost of centering , shuttering , finishing and Reinforcement. | 11.63 Cum | | P/Cum | | |
| 8. | Providing and fixing steel reinforcement in position reinforcement bar of various dia for RCC work at the slab height including straitening, cutting , bending and tightening in position and binding all complete up to floor three level. | 1055.05 Kg | | P/Kg | | |
| 9. | Centering and shuttering with MS sheet or plywood of required size to true line , level , alignment with strutting, propping bracing both ways with wooden member and removal of formwork for upto floor three level. | 92.84 sqm | | P/Sqm | | |

| | | | | | |
|-----|--|---------------|--|-------|--|
| 10. | Providing and laying Brick masonry in 1:6 cement mortar (1 cement : 6 coarse sand) in foundation and plinth including curing etc complete. | | | | |
| | A. 230mm thick | 25.77 Cum | | P/Cum | |
| | B. 115mm thick | 50.23 Sqm | | P/Sqm | |
| 11. | 20mm thick Plaster on new surface of walls in cement sand mortar 1:4 including racking of joint etc. complete fine finish. | 330.94 sqm | | P/Sqm | |
| 12. | Provision for 25mm thick polished blue Kota stone flooring (sample of Kota stone shall be approved by Engineer –in –charge) over 20mm average thick base of cement mortar 1:4 (1 cement :4 coarse sand) and jointed with grey cement slurry including rubbing and polishing complete. | 37.26 Sqm | | P/Sqm | |
| 13. | Providing and fixing 1st quality standard White/Ivory Glazed Tiles ISI marked of size 300mmx600mm (or any other) in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in white cement mixed with pigment to match the shade of tile complete. Make :- Kajaria , Jhonson, Somani (Marble printed and granite shade tile) | 153.28 Sqm | | P/Sqm | |
| 14. | Providing and fixing 75mm wide decorative border in different shade and in all colours for glazed tile. | 56.40 Rmt | | P/Rmt | |
| 15. | Providing stone veneer facing in cement mortar 1:4 including cement pointing 1:3 in white cement with add mixture of pigment matching the stone shade , up to one story height above plinth level. 18mm to 25mm thick white marble facing. | 58.71 Sqm | | P/Sqm | |
| 16. | Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. two or | 91.31 Sqm | | P/Sqm | |

| | | | | | |
|-----|---|---------------|--|-------|--|
| | more coats on new work. | | | | |
| 17. | Supplying and fixing Sal wood frames of doors, windows, including anti termite treatment and two coat of primer and two coat of enamel paint and anti termite treatment. | 0.37 cum | | P/Cum | |
| 18. | Providing and fixing external grade board solid core single leaf flush door shutter ISI 2202-67 marked using phenol formal dehyderesin in glue both sides with approved steel fitting complete. 25mm thick decorative teak veneer both side | 17.12 Sqm | | P/Sqm | |
| 19. | Providing and fixing T-iron/L-iron angle iron frame for section with wire guage etc complete with applying a priming coat of approved of approved steel primer. | 61.92 kg | | P/Kg | |
| 20. | Charges for electrical installation Anchor or Havells with PVC counduit Jindal as per PWD BSR 2013 specification. The make of all electrical materials should be approved by the competent authority. As per working drawing to be supplied with Work Order | | | | |
| 21. | Charges for sanitary fitting and water supply fitting of ISI Mark of make Jaguar, perry ware or Eqv brand. The make and model should be approved by the competent authority. | | | | |
| | Part B Fencing and other works | | | | |
| 22. | Supply M.S grill of 12 mm square bar at 100 mm c/c welded in holes vertically with 10 cm double spike headed to the M.S angle of size 50x50x6 mm spaced horizontal, grill provide with two M.S angle 50x50x6 mm bolted with hole each-other nut bolt and centre welded horizontal strip of 50x6 mm for strengthening etc. complete as per design . A .Pannel size 1.50 x 1.30 mtr | 1445.58 kg | | P/Kg | |
| | B .Pannel size 1.50 x 0.85 mtr | 7492.26kg | | P/Kg | |
| 23. | Supplying and fixing Bijolia stone slab 1.50 to 2.50 mtr length and 70mm thick for covering open drain. | 50.00 Sqm | | P/Sqm | |
| 24. | Providing and laying in position specified grade1: 2 :4 | 11.46 cum | | P/Cum | |

| | | | | | |
|-----|--|---------------|--|-------|--|
| | Cement Concrete (1cement : 2 coarse sand : 4 stone aggregate 20mm nominal size) for fixing of M.S.grill in existing wall. | | | | |
| 25. | Painting with ready mix paint of approved brand with two coat of enamel paint over a red oxide primer etc complete. New steel work | 298.73 Sqm | | P/Sqm | |
| 26. | Provision for improvement of drinking water facilities with water purifier and other accessories with labour and material | | | | |
| A | Industrial R.O 100 Ltr/hr capacity (Kent or equivalent) | 1 nos each | | Nos | |
| B | Water Cooler 100 ltr capacity (Voltas or equivalent) | 1 nos each | | Nos | |
| C | PVC water tank 1000 ltr capacity (Syntax) | 1 nos each | | Nos | |
| | Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including disposal of excavated earth up to 50 m and lift up to 1.5 m, disposed soil to be levelled and neatly dressed. | 104.00 cum | | P/Cum | |
| | Providing & laying cement concrete 1 : 3 : 6 (1 Cement : 3 C. Sand : 6 Stone Agg. 20 mm nominal size) including curing, compaction etc. complete in foundation. | 52.00 cum | | P/Cum | |
| 27. | Providing & laying 4" or thick flag stone in flooring over 20mm thick base with 1:1:2:2 lime cement mortar (1lime:1cement:2 surkhi :2coarse sand) to match with original including curing etc complete. | 520.00 sqm | | P/Sqm | |
| 28. | Flush pointing on laid flag stone flooring with 1:1:2:2 lime cement mortar(1lime:1cement:2 surkhi :2coarse) sand including racking , cleaning and washing the Joints etc complete for matching to the | 520.00 Sqm | | P/Sqm | |
| | Part C Solar Street Lamp | | | | |
| 29. | Supplying, Installation, Testing and Commissioning of | 10 nos | | Nos | |

| | | | | | | |
|--|--|--|--|--|--|--|
| | <p>LED Solar street light on 3 Mtr. MS Tubular Galvanized Pole including all accessories etc complete.</p> <p>Model no HLS-12-10-10P, no. of light sources 1, pv module 40, battery rating(9V&Ah) 12V & 40Ah. The make should be Bajaj or Philips and should be approved by the competent authority.</p> | | | | | |
|--|--|--|--|--|--|--|

Note: The eligible approved/registered contractors with CPWD/PWD/RAILWAY/P&TMES/ASI who have valid TIN & PAN and two years supply/work experience in ASI/State Archaeology may submit the tender.

Signature and seal of the Contractor

Superintending Archaeologist (i/c)

Should this tender be accepted, I/We hereby agree to abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable, and/or in default thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions. A sum of Rs. _____* is herewith forwarded in Cash/Treasury Challan as earnest money. If I/We fail to commence the work to specified in the above memorandum or if I/We fail to deposit the amount of security deposit specified against (ii) (a) in the above memorandum in accordance with clause 1 of the said conditions of contractor I/We agree that the said President or his successors in office shall, without prejudice to any other right or remedy, shall be retained by his towards such security deposit. I/We further agree that the said President or his successors in office shall also be at liberty to cancel the acceptance of the tender if I/We fail to deposit security amount to aforesaid.

* Give particulars & numbers

Signature and seal of contractor

Address

Signature of witness to Signature of tender

Address

Dated the 2015

The above tender is hereby accepted by me behalf of the President of India.

Dated :

Signature of the officer by whom the tender is accepted

Terms & Condition of Tender

1. Tenders should always be placed in sealed covers (wax-sealed/tape sealed/gum sealed) with the name of the work written on the envelopes.
2. Earnest money should be submitted in the form of Demand Draft drawn in favour of the Superintending Archaeologist, Jodhpur Circle on a Scheduled Bank /FDR duly pledged in favour of the Superintending Archaeologist, Jodhpur Circle must accompany each tender.
3. The contractor, whose tender is accepted, will be required to furnish (unless exempted) a security deposit for the due fulfilment of his contract, such sum as will amount.
 - 10% in the case of works costing up to Rs. 1, 00,000/- of the estimated cost of the work put to tender.
 - In the case of works costing more than Rs. 1,00,000/- and up to 2,00,000 to 10% on the first Rs. 1,00,000/- and 7.5% on the balance and
 - In the case of works costing more than Rs.2,00,000/- to 10% on the first Rs. 1,00,000/- and 7.5% on the next Rs 1,00,000/- and 5% on the balance subject to a maximum of Rs. 1,00,000/-
4. The Security Deposit will be collected by the deductions from the running bill of the contractor at the rates mentioned above. The Earnest Money Deposit placed at the time of tender will be treated as a part of the security deposit. The security amount will also be accepted in shape of Demand Draft in favour of Superintending Archaeologist, Jodhpur Circle/ FDR pledged in favour of Superintending Archaeologist, Jodhpur Circle etc. drawn on Scheduled Banks.
5. Special care should be taken to write the rates and amounts in figures as well as in words and in such a way that interpretation is not possible. In case of figures the words 'Rs'. should be written before the figures of rupees and word 'p' after

the decimal figures and in case of words the words Rs Proceeds and the word paisa should be written at the end. Unless the rate is in whole rupees and not followed by the word 'ONLY', it's should invariably be up to two decimal places. While quoting the rates in the schedule of quantities the rate in words should be written closely following the figure and it would not be written in the next line.

6. The contractor should quote the rate and amount in figure as well as in words. The amount for each item should be worked out and the total for all items should be given.
7. Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words.
8. Whenever the rates quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the rate quoted by the contractor will be taken as correct and not the amount.
9. The rate quoted should include all VAT/Sales tax etc. ASI will not entertain any claim whatsoever in this regard.
10. In case contractor's signature on tender is fixed in an Indian Language, the rate/ amount/ percentage above or below should also be written in the same language. In the case of illiterate contractors the rates/percentage should be attested by a witness.
11. The tender should be signed by the contractor/authorised signatory in case of a firm. All tenders should have the signature of a witness. The seal of the contractor/firm should be fixed below the signature.
12. All corrections/over writings in case of rate/amount/ percentage etc. should be duly attested with signature of the contractor/ authorised signatory.
13. The discretion of acceptance of a tender, will rest with the Circle/Branch Officer/Regional Director/ Director General, A.S.I who does not bind himself to accept the lowest tender,

and reserve to himself the authority to reject any or all of the tenders received, without the assigning any reason. Any tender, in which any of the prescribed conditions are not fulfilled or are incomplete in any respect is liable to be rejected.

14. Canvassing in connection with tenders is strictly prohibited and the tender submitted by the contractors who resort to canvassing is liable to be rejected.
15. On the issue of the work order, the contractor will execute the work. If he fails to do so within the stipulated time or he withdraws afterwards, his EMD will be forfeited in full. No enhancement of rates for any reason will be permitted after opening of the tender.
16. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions for the Circle/Branch Officer shall be communicated to the Circle/Branch Officer.
17. The contractor must produce income-tax clearance certificate in revised form as notified under Ministry of Finance O.M No. 67/30/69/ITAE dated 2nd July, 1970, and other relevant documents before the tender can be sold to him. If he downloads the same from website, he should enclose them with the tender. If he found to be ineligible, his tender will be rejected.
18. The contractor shall not be permitted to tender for works in the Archaeological Survey of India, Circle/Branch Office (Responsible for award and execution of contracts) in which his near relative is posted as an officer in any capacity.
19. No engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of two years of his

retirement from Government service, without the previous permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

20. The tender of the work shall not be witnessed by a contractor or contractors who himself/themselves/has /have tendered or who may tender for the same work.
21. The tenderer apart from being a class II (B&R) contractor must associate himself with agencies of the appropriate class which are eligible to tender for sanitary and water supply and drainage installation.
22. The contractor shall comply with the provisions of the Apprentices Act, 1961, and the rates and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the Circle/Branch officer may in his discretion cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the Act.
23. Contractor should visit the working site prior to tendering.
24. The material should be supplied / Work executed as per the specification.
25. Arrangement for water/ scaffolding/ T&P articles will be made by the contractor
26. The supply of materials is subject to voids as per CPWD/IS/ASI specifications.
27. The quantity of work/materials can be increased/decreased at the site during work or before placing work/supply order.

Signature of the contractor
Authorised signatory with seal

Superintending Archaeologist